



## Public Scoping Comment Form

We need your input. Please take a few minutes to provide your comments or questions for the USDA RUS Federal review process and return your completed comment form today or mail by September 21, 2009. Thank you.

Which meeting did you attend? Colorado City 8-20- Hollydet Golf course

Please check the following issues that are important to you for transmission line siting.

- |  |  |
|--|--|
| <input type="checkbox"/> Project Purpose and Need                                    | <input type="checkbox"/> Historic and Cultural Sites                     |
| <input checked="" type="checkbox"/> Visual / Aesthetic Resources                     | <input checked="" type="checkbox"/> Radio or Television Interference     |
| <input checked="" type="checkbox"/> Proximity to Residences                          | <input checked="" type="checkbox"/> Noise                                |
| <input checked="" type="checkbox"/> Land Use (Agriculture, Residential, Recreation)  | <input checked="" type="checkbox"/> Health and Safety <u>Fire hazard</u> |
| <input type="checkbox"/> Water Resources (Floodplains, River Crossings)              | <input type="checkbox"/> Biological Resources <u>magnetic fields</u>     |
| <input checked="" type="checkbox"/> Other: <u>Severe reduction in property value</u> |  |

If you own property in one of the proposed corridors, please indicate all the existing uses of your property below:

- |   |   |  |
|---|---|--|
| <input checked="" type="checkbox"/> Agriculture | <input checked="" type="checkbox"/> Residential | <input type="checkbox"/> Conservation Easement |
| <input type="checkbox"/> Commercial             | <input type="checkbox"/> Industrial             | <input type="checkbox"/> Other: _____          |

Please provide your comments on the proposed project in the space provided below:

Our retirement land/home Lot 45, Phase I Hollydet Ranch was carefully chosen for 2 main reasons:  
① Underground utilities + cable lines  
② Uninterrupted views of mountain + sky  
we will not allow electric poles or lines on our property for those 2 main reasons checked off above.

Suggestion to run poles parallel to highway where aesthetics are not an issue and firetrucks can easily gain access to fires.

### I-316-001: Environmental Consequences (In Review)

Your email/letter/comment form has been received and your comment noted. Potential environmental consequences and mitigation measures from the proposed project will be addressed in the Environmental Impact Statement.

The Environmental Impact Statement is anticipated to be completed in late 2010 and will be available at

<http://www.usda.gov/rus/water/ees/ea.htm>.

I-316-001

TAPE HERE (DO NOT STAPLE)



1400 Independence Ave. SW, MAIL STOP 1571  
Washington, DC 20250-1571

Dennis Rankin  
1400 Independence Ave. SW, MAIL STOP 1571  
Washington, DC 20250-1571

2025031571 0000



FOLD HERE

THANK YOU FOR TAKING THE TIME TO PARTICIPATE.

Please submit comments by the following means:

- Leave this form at the public scoping meeting.
- Mail the form or a letter to the address above.
- Submit comments electronically at [www.socotransmission.com](http://www.socotransmission.com)

Please submit your comments by September 21, 2009

FOLD HERE

Please tell us how to reach you.

CONTACT INFORMATION

Name: Kevin Nelson

Representing (Optional):

Mailing Address: 1935 W. Jarvis Court

City: Meridian State: ID Zip Code: 83642

Daytime Phone (Optional): 208-850-2530

If you would like to receive electronic newsletters on the project, please provide an email address: budwike18@yahoo.com

Please fold this form letter style if you choose to mail it without an envelope. Make sure that your contact information is facing inward when mailing.